Government of Saskatchewan

Crop Report

Published by the Ministry of Agriculture
ISSN 0701 7085
Report number 6, June 4, 2015

For the Period May 26 to June 1, 2015

Seeding is nearing completion in the province with 97 per cent of the crop in the ground, according to Saskatchewan Agriculture's weekly Crop Report. Progress continues to be well ahead of the five-year (2010-2014) average of 73 per cent seeded for this time of year.

The west-central region is reporting that 99 per cent of the crop is now seeded. The southwestern region has 98 per cent seeded; the southeastern, northeastern and northwestern regions have 97 per cent seeded; and the east-central region has 94 per cent seeded.

Heavy frost late last week has caused damage to crops and producers continue to assess the damage; some re-seeding has occurred. Crop conditions vary across the province but most crops are in fair to good condition. Concerns about crop germination and emergence continue in many areas that have not received much rainfall since April. Flea beetles and cutworms are causing damage in some canola crops across the province.

Some areas of the province received rain this past week, ranging from small amounts to over an inch in parts of the southwestern and northwestern regions. Rain is needed in much of the province to help recharge the topsoil. Cropland topsoil moisture conditions are rated as three per cent surplus, 51 per cent adequate, 37 per cent short and nine per cent very short. Hay land and pasture topsoil moisture is rated as three per cent surplus, 41 per cent adequate, 40 per cent short and 16 per cent very short.

Farmers are busy finishing seeding operations and controlling pests.

One year ago

Seventy-eight per cent of the 2014 crop had been seeded. Heavy rain delayed field operations, with some areas in the east-central region reporting over three inches.

Follow the 2015 Crop Report on Twitter @SKAgriculture

Seeding Progress in SK Per cent seeded	
All Crops	
June 1, 2015	97
5 year avg. (2010-2014)	**73**
June 2/14	78
June 3/13	83
May 28/12	74
May 30/11	70
June 3/10	59
10 year avg. (2005-2014)	81

For further information, contact Shannon Friesen, PAg,
Cropping Management Specialist, Moose Jaw, Regional Services Branch,
Toll Free: 1-866-457-2377 or 306-694-3592, E-mail: cropreport@gov.sk.ca.
Also available on the Ministry of Agriculture website at www.agriculture.gov.sk.ca.

Agriculture and Agri-Food Canada | Agriculture et Agroalimentaire Canada

SCIC
SASKATCHEWAN CROP INSURANCE CORPORATION

Saskatchewan Crop Insurance Corporation - June 2015

Crop Insurance customers should note the following important dates:

Full yield loss coverage on winter wheat and fall rye, which is to be grazed and/or cut for feed, becomes effective on June 10.

The deadline for seeding potatoes is June 10 for processing and table varieties and June 15 for seed varieties.

Establishment Benefit claims are to be submitted by June 20 as are claims for crops that fail to establish due to gopher damage.

Full yield loss coverage for established spring and fall seeded crops begins on June 21.

Seeded Acreage Reports and Stored Grain Declarations must be submitted by June 25.

The deadline to submit Unseeded Acreage claims is also June 25. Claims must be registered with your local Crop Insurance office.

For honey producers enrolled in Crop Insurance, June 25 is the deadline to submit the Hive Reporting form and Stored Honey Report. This is also the deadline to endorse overwintering insurance for the Bee Mortality Insurance Pilot Program.

The deadline to seed greenfeed crops covered by forage insurance is June 30, with all establishment and gopher damage claims on greenfeed to be submitted by this date.

SK (provincial) Crop Conditions - June 1, 2015

	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	13	3	8	5	7	6	6
% good	59	26	57	49	65	60	36
% fair	20	29	29	37	23	29	49
% poor	5	26	5	9	2	4	7
% very poor	3	16	1	0	3	1	2
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	3	3	1	2	6	6	0
% good	56	41	49	67	63	50	34
% fair	30	34	29	29	26	37	66
% poor	8	16	9	1	4	5	0
% very poor	3	6	12	1	1	2	0

Southeastern Saskatchewan (Crop District 1 – Carnduff, Estevan, Redvers, Moosomin and Kipling areas; Crop District 2 – Weyburn, Milestone, Moose Jaw, Regina and Qu'Appelle areas; Crop District 3ASE – Radville and Lake Alma areas)

	Southeast						
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	13	10	14	10	1	9	16
% good	60	73	54	47	69	59	52
% fair	25	13	19	38	14	20	28
% poor	2	2	10	5	11	10	4
% very poor	0	2	3	0	5	2	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	3	10	1	3	13	19	0
% good	70	37	82	69	53	44	40
% fair	19	31	17	27	30	36	10
% poor	7	14	0	1	2	1	25
% very poor	1	8	0	0	2	0	25

Seeding is nearing completion in the region as 97 per cent is now in the ground, up from 87 per cent last week. Crop damage from flea beetles and frost has resulted in some re-seeding of canola fields in the region. Warm weather is now needed to help crops develop in many areas.

Rain was received in some southern and eastern areas of the region, helping improve topsoil moisture conditions. However, significant rain is needed in many other areas of the region to help crops emerge and develop. The Grenfell area is reporting 18 mm of rainfall this past week. Since April 1, the Indian Head area has received 101 mm of rainfall, the greatest amount for both the region and the province.

Topsoil moisture conditions on cropland are rated as 10 per cent surplus, 65 per cent adequate, 24 per cent short and one per cent very short. Hay land and pasture topsoil moisture is rated as eight per cent surplus, 64 per cent adequate, 27 per cent short and one per cent very short. Crop District 1A is reporting that 22 per cent of cropland and 19 per cent of hay and pasture land has surplus topsoil moisture at this time. CDs 2A and 3ASE are reporting that 50 per cent and 52 per cent, respectively, of cropland acres are short topsoil moisture at this time while 60 per cent and 63 per cent, respectively, of hay and pasture acres are short topsoil moisture.

The majority of crops are in fair to good condition, although lack of moisture, frost and flea beetles have caused much of the damage this past week. There are also reports of wireworms and cutworms in some crops. Farmers are busy finishing up seeding, controlling pests, hauling grain and picking rocks.

Southwestern Saskatchewan (Crop District 3ASW – Coronach, Assiniboia and Ogema areas; Crop District 3AN – Gravelbourg, Mossbank, Mortlach and Central Butte areas; Crop District 3B – Kyle, Swift Current , Shaunavon and Ponteix areas; Crop District 4 – Consul, Maple Creek and Leader areas)

	Southwest						
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	3	3	0	0	0
% good	73	11	57	55	62	57	21
% fair	8	33	30	31	28	31	62
% poor	11	35	10	11	10	12	17
% very poor	8	21	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	1	0	0	0	2	1	0
% good	43	33	43	100	69	55	35
% fair	36	36	27	0	21	33	65
% poor	15	20	11	0	6	7	0
% very poor	5	11	19	0	2	4	0

Ninety-eight per cent of the crop is now seeded in the southwest, up from 93 per cent last week. Crop damage from flea beetles and frost has resulted in some re-seeding of oilseed fields in the region.

Scattered showers moved throughout the region, bringing relief to some areas. However, some crops in the region have not emerged due to lack of moisture and significant rain is needed to help with crop, hay and pasture development. The Blumenhof area received the greatest amount of rainfall last week (29 mm) while the Fife Lake area has received the greatest amount of rainfall since April (91 mm).

Topsoil moisture conditions continue to deteriorate in the region and cropland topsoil moisture conditions are now rated as 39 per cent adequate, 40 per cent short and 21 per cent very short. Hay land and pasture topsoil moisture is rated as 26 per cent adequate, 46 per cent short and 28 per cent very short. Crop Districts 3BN, 4A and 4B are reporting that 25 per cent, 26 per cent and 50 per cent, respectively, of cropland is very short topsoil moisture. CDs 4A and 4B are also reporting that 46 per cent and 50 per cent, respectively, of hay and pasture land is very short topsoil moisture.

The majority of crops are in poor to good condition. Flea beetles, frost, cutworms and lack of moisture have caused most of the crop damage this week. There are also reports of grasshoppers in the region. Farmers are busy finishing up seeding, fixing fences and controlling pests.

East-Central Saskatchewan (Crop District 5 – Melville, Yorkton, Cupar, Kamsack, Foam Lake, Preeceville and Kelvington areas; Crop District 6A – Lumsden, Craik, Watrous and Clavet areas)

East-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	38	35	5	7	0	1	0
% good	43	24	69	66	75	69	49
% fair	14	29	26	27	24	29	51
% poor	4	12	0	0	1	1	0
% very poor	1	0	0	0	0	0	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	1	0	0	1	4	0
% good	58	52	90	62	87	87	100
% fair	37	30	10	38	12	9	0
% poor	2	11	0	0	0	0	0
% very poor	3	6	0	0	0	0	0

Seeding operations are nearly complete in the region as 94 per cent of the crop is seeded, up from 83 per cent last week. Hard frost late last week significantly damaged emerged crops and many fields are being re-seeded. Like much of the province, the east-central region could use some rain and warm weather to help crops emerge and develop.

Rain this past week ranged from nil to 22 mm in the Earl Grey area. The Craik area reported the greatest amount of rainfall since April 1, with 92 mm. Topsoil moisture conditions on cropland are rated as seven per cent surplus, 57 per cent adequate, 33 per cent short and three per cent very short. Hay land and pasture topsoil moisture is rated as five per cent surplus, 56 per cent adequate, 32 per cent short and seven per cent very short. Crop District 5B is reporting that six per cent of cropland is very short topsoil moisture while CD 6A is reporting that 10 per cent of hay land and pasture is very short topsoil moisture at this time.

Most crops in the region are in fair to good condition, although emergence has been slower than normal. Flea beetles, frost and lack of moisture have caused the majority of crop damage this week. Farmers are busy finishing up seeding, controlling pests and assessing whether to re-seed or not.

West-Central Saskatchewan (Crop Districts 6B – Hanley, Outlook, Loreburn, Saskatoon and Arelee areas; Crop District 7A – Rosetown, Kindersley, Eston, Major; CD 7B - Kerrobert, Macklin, Wilkie and Biggar areas)

West-central							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	0	6	7	13	10	0
% good	45	30	39	22	41	40	14
% fair	40	66	49	58	46	45	73
% poor	15	4	5	11	0	4	7
% very poor	0	0	1	2	0	1	6
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	10	4	2	0	6	5	0
% good	28	22	23	29	51	34	0
% fair	55	56	53	69	39	52	100
% poor	4	17	15	2	3	8	0
% very poor	3	1	7	0	1	1	0

The west-central region leads the province in seeding progress as 99 per cent of the crop is now seeded, up from 93 per cent last week. There has been some re-seeding of crops due to frost and flea beetle damage and some producers are spraying for cutworms. Rain is needed to help crops germinate and emerge.

A storm moved through some parts of the region, bringing hail and strong winds. The Rosetown area received 14 mm, the greatest amount of rainfall for the region, while the Outlook area has received the greatest amount of rainfall since April 1 (55 mm).

Topsoil moisture conditions are deteriorating in much of the region. Pastures are slow to green up and there are concerns that there may be a feed shortage if rain is not received soon. Topsoil moisture conditions on cropland are rated as 21 per cent adequate, 65 per cent short and 14 per cent very short. Hay land and pasture topsoil moisture is rated as 13 per cent adequate, 56 per cent short and 31 per cent very short. Crop District 6B is reporting 17 per cent of cropland and 31 per cent of hay and pasture land to be very short topsoil moisture at this time. CD 7B is also reporting that 35 per cent of hay and pasture land is very short topsoil moisture.

Most crops in the region are in poor to good condition and crop emergence has been slower than normal. Flea beetles, frost and lack of moisture have caused the majority of crop damage this week. Farmers are busy finishing up seeding, controlling pests and picking rocks.

Northeastern Saskatchewan (Crop District 8 – Hudson Bay, Tisdale, Melfort, Carrot River, Humboldt, Kinistino, Cudworth and Aberdeen areas; Crop District 9AE – Prince Albert, Choiceland and Paddockwood areas)

Northeast							
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	31	0	15	17	14	12	13
% good	50	100	68	70	63	67	68
% fair	19	0	11	13	15	15	6
% poor	0	0	6	0	0	0	13
% very poor	0	0	0	0	8	6	0
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	15	0	N/A	0	15	0	N/A
% good	52	52	N/A	62	70	95	N/A
% fair	25	28	N/A	38	14	5	N/A
% poor	8	14	N/A	0	1	0	N/A
% very poor	0	6	N/A	0	0	0	N/A

Seeding is wrapping up in the region as 97 per cent is now in the ground, up significantly from 75 per cent last week. Hard frost has damaged many crops in the area and some canola crops are now being re-seeded if moisture is available.

Some parts of the region received rainfall last week, although more is needed soon to help replenish the topsoil. The Bruno area received 19 mm of rainfall, bringing its total received since April 1 to 76 mm.

Topsoil moisture conditions on cropland are rated as 73 per cent adequate, 23 per cent short and four per cent very short. Hay land and pasture topsoil moisture is rated as 62 per cent adequate, 37 per cent short and one per cent very short. Crop District 8A is reporting that 52 per cent of cropland and 68 per cent of hay and pasture land are short topsoil moisture at this time.

The majority of crops in the region are in fair to good condition, although there has been damage from flea beetles, frost and lack of moisture. Farmers are busy finishing up seeding operations, controlling pests, picking rocks and fixing fences.

Northwestern Saskatchewan (Crop District 9AW – Shellbrook, North Battleford, Big River and Hafford areas; Crop District 9B – Meadow Lake, Turtleford, Pierceland, Maidstone and Lloydminster areas)

	Northwest						
	Winter wheat	Fall rye	Spring wheat	Durum	Oat	Barley	Canaryseed
% excellent	0	5	7	N/A	10	9	N/A
% good	0	10	58	N/A	59	56	N/A
% fair	0	30	35	N/A	30	35	N/A
% poor	0	5	0	N/A	1	0	N/A
% very poor	100	50	0	N/A	0	0	N/A
	Flax	Canola	Mustard	Soybean	Pea	Lentil	Chickpea
% excellent	0	1	0	N/A	17	44	N/A
% good	50	34	0	N/A	45	19	N/A
% fair	0	29	100	N/A	38	37	N/A
% poor	50	32	0	N/A	0	0	N/A
% very poor	0	4	0	N/A	0	0	N/A

Seeding is nearing completion in the region with 97 per cent in the ground, up from 89 per cent last week. There has been re-seeding of some crops in the region that were hit hard with frost late last week. Some producers are also spraying for flea beetles in canola.

Some areas of the region received rain that has helped to replenish topsoil moisture. However, significant rain is needed to help crop, hay and pasture development. The Hafford area reported 39 mm of rainfall this past week, bringing its total received since April 1 to 76 mm.
Topsoil moisture conditions have improved slightly in the region thanks to the recent rain. Cropland topsoil moisture conditions are now rated as two per cent surplus, 61 per cent adequate, 26 per cent short and 11 per cent very short. Hay land and pasture topsoil moisture is rated as 36 per cent adequate, 46 per cent short and 18 per cent very short. Crop District 9B is reporting that 19 per cent of cropland and 24 per cent of hay land and pasture are very short topsoil moisture at this time.

The majority of crops in the region are in fair to good condition, although there has been damage from flea beetles, frost and lack of moisture. Farmers are busy finishing up seeding operations, controlling pests and fixing fences.

Weekly Rainfall

from May 26 to June 1, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 3, 2015

© 2015 Government of Saskatchewan

Weekly Rainfall Summary

(in millimeters) 1 inch = 25 mm for the period May 26 to June 1, 2015

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
1A	2	Mount Pleasant	N/A	32
	3	Enniskillen	3	47
	33	Moose Creek	N/A	N/A
	34	Browning	6	40
	61	Antler	6	90
	63	Moose Mountain	5	61.3
	64	Brock	8	51
	65	Tecumseh	10	56.5
1B	91	Maryfield	9	65
	122	Martin	3	93
	123	Silverwood	9	64
	124	Kingsley	8	66
	125 A	Chester	7	70
	125 B	Chester	15	74
	151 A	Rocanville	5	71
	151 B	Rocanville	N/A	N/A
	154	Elcapo	N/A	32
	155 A	Wolseley	18	54
	155 B	Wolseley	N/A	N/A
2A	67	Weyburn	NIL	47
	68	Brokenshell	NIL	38
	97	Wellington	NIL	31
2B	127 A	Francis	7	48
	127 B	Francis	NIL	17.5
	129	Bratt's Lake	2	17.5
	131 A	Baildon	NIL	19
	131 B	Baildon	NIL	30
	156 A	Indian Head	5	38
	156 B	Indian Head	18	101
	157	South Qu'Appelle	N/A	0
	160 A	Pense	NIL	7
	161	Moose Jaw	NIL	53
	162	Caron	1	24
	191	Marquis	NIL	42
3ASE	38 A	Laurier	NIL	35.8
	38 B	Laurier	1	24
	39 A	The Gap	2	45
3ASW	10	Happy Valley	4	65
	12	Poplar Valley	13	91
	40 A	Bengough	N/A	N/A
	40 B	Bengough	NIL	28
	42	Willow Bunch	4	68
	43	Old Post	14	56.5
	70	Key West	NIL	25.4
	73 A	Stonehenge	NIL	61
	73 B	Stonehenge	1	49
3AN	101	Terrell	NIL	23
	102	Lake Johnston	3.5	31.8
	103	Sutton	13	57
	132 A	Hillsborough	NIL	75.5
	132 B	Hillsborough	NIL	42
	134	Shamrock	N/A	31.5
	193 A	Eyebrow	3	71
	193 B	Eyebrow	5	88
	224	Maple Bush	N/A	N/A
3BS	17	Val Marie	2.5	17.5
	75 A	Pinto Creek	6	55
	75 B	Pinto Creek	N/A	43
	76	Auvergne	N/A	37
	77	Wise Creek	3	44
	78	Grassy Creek	NIL	57.5
	105	Glenbain	17	63
	106	Whiska Creek	22	56
	107	Lac Pelletier	29	51
	108	Bone Creek	NIL	28
3BN	138 A	Webb	5	29.5
	138 B	Webb	NIL	20.5
	166	Excelsior	NIL	28
	167	Sask. Landing	N/A	32.2
	168 A	Riverside	NIL	30
	168 B	Riverside	2	12.3
	226	Victory	N/A	38
	228	Lacadena	NIL	8
	257	Monet	NIL	3

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
4A	49	White Valley	6	52
	51	Reno	8.3	32.2
	79	Arlington	11	56
	109 A	Carmichael	N/A	29
	109 B	Carmichael	NIL	30
	110	Piapot	1	7
4B	139	Gull Lake	21	33
	142	Enterprise	22.9	24.9
	169	Pittville	NIL	2
	231	Happyland	0	2
	183 B	Fertile Belt	2	61
5A	186	Abernethy	N/A	13
	211	Churchbridge	7	44
	213	Saltcoats	4	39
	216	Tullymet	N/A	6
	241	Calder	2	29
	243	Wallace	3	49
	244	Orkney	3	21
	245 A	Garry	N/A	23
	245 B	Garry	7	21
	245 C	Garry	5	40
	246	Ituna Bon Accord	5	34
	247	Kellross	11	37
	248	Touchwood	N/A	26.6
	271	Cote	5	38
	273	Sliding Hills	N/A	16
	277	Emerald	6	42
5B	305	Invermay	NIL	40.5
	307	Elfros	NIL	31
	308 A	Big Quill	1	34
	308 B	Big Quill	1.5	23.5
	331	Livingston	2	30
	336	Sasman	NIL	22
	337	Lakeview	1	30
	338	Lakeside	1	24
	366	Kelvington	1	31
	367	Ponass Lake	5	46.5
6A	190 A	Dufferin	7	26
	190 B	Dufferin	5	40
	190 C	Dufferin	1	13
	190 D	Dufferin	N/A	24
	219 A	Longlaketon	22	52
	219 B	Longlaketon	5	21
	220	Mckillop	8	36
	221	Sarnia	4.79	60.7
	222	Craik	15	92
	251	Big Arm	N/A	58.8
	252	Arm River	N/A	64
	279	Mount Hope	2	38
	282	McCraney	3	63
	309	Prairie Rose	N/A	N/A
	312	Morris	NIL	15
	313	Lost River	N/A	61
	339	Leroy	1.8	45.8
	340	Wolverine	NIL	47
	341	Viscount	NIL	59
	343 A	Blucher	NIL	91.2
	343 B	Blucher	N/A	50
6B	254	Lorebum	N/A	N/A
	284	Rudy	NIL	55
	285	Fertile Valley	NIL	39
	286	Milden	N/A	29
	314	Dundurn	N/A	58
	344	Corman Park	4	29
	346	Perdue	N/A	13
	376	Eagle Creek	1	27
	403	Rosthern	4	30

Crop Dist.	R.M. No.	Name	Past Week	Since 1-Apr
7A	287	St. Andrews	14	27
	288	Pleasant Valley	5	24
	290 A	Kindersley	NIL	6.5
	290 B	Kindersley	N/A	3
	290 C	Kindersley	2	2
	292	Milton	N/A	8
	317 A	Marriott	NIL	11
	317 B	Marriott	12	36
	318	Mountain View	NIL	15
	320 A	Oakdale	2	28
	320 B	Oakdale	2	19
	321	Prairiedale	13	29.5
7B	347	Biggar	3	19
	350 A	Mariposa	NIL	9
	350 B	Mariposa	2	20
	351	Progress	N/A	14
	352	Heart's Hill	NIL	13
	377	Glenside	NIL	24
	378 B	Rosemount	2	17
	379	Reford	NIL	19
	381	Grass Lake	N/A	2.5
	382	Eye Hill	NIL	3
	409	Buffalo	NIL	14
	410	Round Valley	NIL	5
8A	395	Porcupine	6	22
	397	Barrier Valley	16.5	48.9
	428	Star City	8	61
	456	Arborfield	6	61
	457	Connaught	2	55.3
	486	Moose Range	N/A	41
	487	Nipawin	3	21
8B	369	St. Peter	9	43
	370 A	Humboldt	13	55
	370 B	Humboldt	N/A	55
	371	Bayne	15	65
	372	Grant	18.7	76.3
	400	Three Lakes	8	57
	402	Fish Creek	15	57
	429	Flett's Springs	9	38
	459	Kinistino	5	58
	460	Birch Hills	7.4	34.3
9AE	488	Torch River	N/A	37
	491	Buckland	N/A	N/A
	520	Paddockwood	10	43
	521	Lakeland	10	43
9AW	406	Mayfield	1	20
	435	Redberry	39	76
	436	Douglas	22	49
	463	Duck Lake	10	40.5
	467 A	Round Hill	11	33
	467 B	Round Hill	13	23
9B	438	Battle River	3	24
	440	Hillsdale	8	18.5
	442	Manitou Lake	4.3	16.3
	498 A	Parkdale	22	40.6
	498 B	Parkdale	N/A	5
	499	Mervin	16	30
	501 A	Frenchman Butte	26	59
	501 B	Frenchman Butte	6	22
	501 C	Frenchman Butte	N/A	10
	502	Britannia	13	16
	561	Loon Lake	5	32
	588 A	Meadow Lake	10	19
	588 B	Meadow Lake	N/A	N/A
	588 C	Meadow Lake	7	27
	588 D	Meadow Lake	N/A	N/A
	622	Beaver River	9	28.5

These precipitation amounts represent point locations within each municipality and do not necessarily reflect the whole R. M.

Municipality No: A, B, C and D - more than one reporter

Cumulative Rainfall

from April 1 to June 1, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Rainfall - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 3, 2015

© 2015 Government of Saskatchewan

Cropland Topsoil Moisture Conditions

June 1, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 3, 2015

© 2015 Government of Saskatchewan

Hay and Pasture Topsoil Moisture Conditions

June 1, 2015



NOTE: Since techniques used to smooth the transition between zones can affect the values in localized areas, this map should be used for regional analysis only.

Government of Saskatchewan

0 25 50 100 150 200

Kilometers

Projection: UTM Zone 13 Datum: NAD83

N

Data Source:
Moisture - Ministry of Agriculture, Crop Report Database
IDW interpolation (power 2.5, fixed radius 300 km)

Geomatics Services, Ministry of Agriculture June 3, 2015

© 2015 Government of Saskatchewan